

Split type wall mounted air conditioner

Technical data

SET MODEL

Power consumption

AWI/AWO-35HPR1

230/1/50

V/ph/Hz

Cooling mode Heating mode

Capacity		3230	3230	W
Power input		1000	890	W
Rated current		4,4	3,9	A
Eficiency (EER/COP)		3,22	3,62	

Energy Class

A

Max current

7,0

A

Moisture removal

1,2

L/h

Refrigerant

R410a (790 r)

INDOOR UNIT MODEL

AWI-35HPR1

Ventilator air flow

Hi/Med/Low

580/530/400

m³/h

Sound Pressure (Lp)

Hi/Med/Low

42/39/31

dB(A)

Net dimensions

LxHxD

790x275x195

mm

Packing dimensions

LxHxD

865x350x265

mm

Weight

brutto/neto

11/9

kg

OUTDOOR UNIT MODEL

AWO-35HPR1

Sound Pressure (Lp)

54

dB(A)

Compressor type

rotary

Compressor model

PA118M1C-4FZ2 (Toshiba)

Fan model

YDK25-6F

Fan motor power

58

W

Net dimensions

LxHxD

780x540x250

mm

Packing dimensions

LxHxD

910x575x335

mm

Connection holes dimensions

L1xD1

458x250

mm

Weight

brutto/neto

28/26

kg

Pipe connections

liquid/gas

1/4 - 1/2

inch

indoor condensate

16

mm

Piping distance

horizontal

20

m

vertical

8

m

Electrical connections

indoor&outdoor

5 x 2,5

mm²

power to indoor

3 x 2,5

mm²



AWI/AWO-35HPR1